

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

---



---



---



---



---



---

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed R. M. Gibson  
Well Driller

By .....

License No. 359

Dated 5/25, 1964

(Not to be filled in by Driller)

---



---



---



---



---



---



---



---



---



---



---

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7845  
 Rec. May 28 1964  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Lois E. Mitchell Driller R. W. Gibson

Address Box 301, Sparks, Nevada Address 465 Sidehill, Sun Vly Lic. No. 359

Location of well: NW 1/4 NW 1/4 Sec. 30, T. 20 N, R. 20 E, in Washoe County

or \_\_\_\_\_

Water will be used for Domestic Total depth of well \_\_\_\_\_

Size of drilled hole 10 inches Weight of casing per linear foot \_\_\_\_\_

Thickness of casing 100 wall Temp. of water Cold

Diameter and length of casing 6 5/8  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface \_\_\_\_\_

If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.)

Date of commencement of well 1/8/64 Date of completion of well 1/24/64

Type of well rig 32 Star

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	35	35	Small gravel and clay
30	55	25	Small gravel and clay
55	85		D G
85	110		SAND AND BOULDERS

Water-bearing Formation, Casing Perforations, Etc.  
SAND AND BOULDERS

Chief aquifer (water-bearing formation)  
 from 85 to 110 ft.

Other aquifers \_\_\_\_\_

First water at 42 feet.

Casing perforated  
 from 80 to 110 ft.

Size of perforations  
1/8

