

**WELL LOG AND REPORT TO THE STATE  
ENGINEER OF NEVADA**

Log No. 7857  
 Rec. May 24 1964  
 Well No. 21281  
 Permit No. 21281  
 Do not fill in

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY  
 V I P Inc

Owner Rancho Developments, Inc. Driller Reno Pump & Supply

Address 4890 No. Virginia St. Reno, Nev. Address 7468 So. Virginia Reno Lic. No. 285

Location of well: 5 1/4 Sec. 7, T. 26 N. R. 9 E, in Washoe County

Water will be used for Trailer Park Total depth of well 200'

Size of drilled hole 8" Weight of casing per linear foot \_\_\_\_\_

Thickness of casing 10 Ga. K&L Well Temp. of water Cold

Diameter and length of casing 8" x 10 Ga. x 192'  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 52'

If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.)

Date of commencement of well January 30, 1962 Date of completion of well February 10, 1962

Type of well rig Cable Tool

**LOG OF FORMATIONS**

From feet	To feet	Thickness feet	Type of material
0	8	8	Brown topsoil & gravel
8	107	99	Sandy yellow clay w/ gravel
107	114	7	Coarse sand and fine gravels to 1/2" W. B.
114	200	86	Yellow sandy clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 107 to 114 ft.

Other aquifers \_\_\_\_\_

First water at 107 feet.

Casing perforated

from 80' to 185' ft.

Size of perforations

Mills Knife 5/16" x 1 1/2"  
 Approx.

