

Purchaser: W. R. Fernay

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 7892
Rec. June 10 1964
Well No.
Permit No.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in.

Owner: WILLIAMS, Contractor Driller: Over Drilling Co. Carson
 Address: 300 S. Williams, Carson Address: 505 1st Springs Rd. Lic. No. 207
 Location of well: 1/4 Sec. 13, T. 20 N/S, R. 20 E, in Ormsby County
 or 969 MARK WAY - 008-110-02
Lot 2 - Block 12 / Eagle Valley Subdivision
 Water will be used for: Domestic Total depth of well: 100 ft.
 Size of drilled hole: 4 1/2 inches Weight of casing per linear foot: 13 lbs.
 Thickness of casing: 3/8 inch Temp. of water: cool
 Diameter and length of casing:
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure: not flowing
 If nonflowing well give depth of standing water from surface: 7 ft.
 If flowing well describe control works: not flowing (Type and size of valve, etc.)
 Date of commencement of well: June 7, 1963 Date of completion of well: June 10, 1963
 Type of well rig: 7 1/2 inch wire-cable

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	11	11	Sp. sh.
11	21	10	clay
21	32	11	sandy clay
32	41	9	fine sand
41	52	11	sandy clay
52	61	9	clay
61	71	10	course sand
71	100	29	

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
 from 60 to 100 ft.
 Other aquifers:
60 ft. - 71 ft. in
fine sand
 First water at 21 feet.
 Casing perforated
 from 71 to 87 ft.
 Size of perforations
1/8 x 3/8 inch slots
area

