

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 7903  
 Rec. June 12 1964  
 Well No. ....  
 Permit No. ....

Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Union Oil Co of Calif. Driller Nevada Pump and Irr. Co  
 Address S 76 Broadway Sacramento Calif. Address 16500 So. Virg Reno Lic. No. 6648  
 Location of well: NE 1/4 SE 4 10 SE 1/4 NW 1/4 Sec 9, T. 19 N/S, R. 19 E, in Washoe County

Water will be used for Domestic Total depth of well 100'

Size of drilled hole 6" Weight of casing per linear foot 12.89

Thickness of casing .188 Temp. of water Cold

Diameter and length of casing 6 5/8" x 100'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure .....

If nonflowing well give depth of standing water from surface 8'

If flowing well describe control works .....  
(Type and size of valve, etc.)

Date of commencement of well 5 26 64 Date of completion of well 5 30 64

Type of well rig Cable Tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	Fill dirt
3	32	29	River Boulders
32	44	12	Tight sand and gravel
44	63	19	" " "
63	69	6	Sandy Clay
69	74	5	Gravel water
74	81	7	Sandy clay
81	100	19	Sand gravel water

**Water-bearing Formation, Casing Perforations, etc.**

---

Chief aquifer (water-bearing formation)  
 from 81 to 97 ft.

Other aquifers 68 74

---

First water at 6 feet.

Casing perforated  
 from 60 to 96 ft.

Size of perforations  
1/16 x 6" Torch cut

