

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 7957  
 Rec. June 30 1964  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in.

Owner John A. Bartlett Driller Joe Cunningham

Address \_\_\_\_\_ Address Rt 1 Box 844 Reno Lic. No. 242

Location of well: SE 1/4 SE 1/4 Sec 34, T. 18 N/S, R. 20 E, in Washoe County

Water will be used for Domestic Total depth of well 100'

Size of drilled hole 6" Weight of casing per linear foot 13<sup>th</sup>

Thickness of casing 3/16" Temp. of water 50°

Diameter and length of casing 6" x 100'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 40'

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well 3/21/64 Date of completion of well 3/25/64

Type of well rig Cable Tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	Top Soil
2	14	12	hard pan
14	35	21	Boulders
35	55	20	Shale + Boulders
55	65	10	Small Gravel <sup>seepage</sup> water
65	83	18	Brown Shale -
83	89	6	Small Gravel water -
89	93	4	Shale -
93	98	5	Gravel - water
98	100	2	hard Brown Rock -

### Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)  
 from 93 to 98 ft.

Other aquifers 55 to 65  
89 to 93

First water at 55 feet.

Casing perforated  
 from 60 to 98 ft.

Size of perforations  
Teach Cut Large

