

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7972  
 Rec. July 8 1964  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

Do not fill in.

Owner Dr. T.G. McCleary Driller Nevada Pump and Irr. Co  
 Address 8801 Lakeside Drv Address 16510 So Virg. St Lic. No. 405  
 Location of well: 1/4 Sec. 23, T. 19 N/S, R. 19 E, in Washoe County  
 or 8801 Lakeside Drv Reno, Nevada  
 Water will be used for Irrigation Total depth of well 210'  
 Size of drilled hole 12" Weight of casing per linear foot \_\_\_\_\_  
 Thickness of casing 1/4" Temp. of water Cold  
 Diameter and length of casing 3 1/4" x 210'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 3'  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well 3/12/63 Date of completion of well 3/15/63  
 Type of well rig Rotary

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	Top Soil
5	150	145	Sand Gravel and Clay
150	210	60	Sand and Gravel

### Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)  
 from 150 to 210 ft.

Other aquifers \_\_\_\_\_

First water at 150 feet.

Casing perforated  
 from 170 to 210 ft.

Size of perforations  
1/8 x 8"2

