

**WELL LOG AND REPORT TO THE STATE ENGINEER  
OF NEVADA**

Log No. 8071  
 Rec. Sept. 21 1964  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Charles Jampher Driller Pete Anderson  
 Address 1275 Zepher Way, Sparks, Nev. Address 604 E 4th St, Reno, Nev. Lic. No. 307  
 Location of well:  $\frac{1}{4}$  Sec. 6, T 17 N/S, R 20 E, in Washoe County  
 or Washoe Valley Farms Block 5 Lot 6  
 Water will be used for Domestic Total depth of well 94'  
 Size of drilled hole 6" Weight of casing per linear foot 13 lbs  
 Thickness of casing 3/16 or 188 Temp. of water Cool  
 Diameter and length of casing 6" - 94'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 28'  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well Sept 21-64 Date of completion of well Sept 24-64  
 Type of well rig Cable Tool

**LOG OF FORMATIONS**

From feet	To feet	Thickness feet	Type of material
0	2	2	loose sand
2	8	6	hard pan
8	20	12	sand & gravel
20	35	15	fine sand
35	50	15	sandy clay
50	58	8	course gravel & sand
58	70	12	sandy clay
70	74	4	course sand
74	80	6	sandy clay
80	84	4	course sand
84	94	10	sand clay

**Water-bearing Formation, Casing Perforations, etc.**

Chief aquifer (water-bearing formation)  
 from 80 to 84 ft.  
 Other aquifers:  
70'-74'  
50-58'  
 First water at 30 feet.  
 Casing perforated  
 from 80 to 92 ft.  
 Size of perforations  
1/8 x 4"

