

111 55-397-21

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 8145
 Rec. Oct 29 1964
 Well No.
 Permit No.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in.

Owner Ed Demich Driller Pete Gardner
 Address P.O. Box Steamboat Nevada Address 644 E. 1st Ave. Reno, Nev. Lic. No. 307
 Location of well: $\frac{1}{4}$ $\frac{1}{4}$ Sec. 31, T 17 N/S, R 20 E, in Washoe County
 or New Washoe City Sub 3, Block K Lot 3
 Water will be used for Domestic Total depth of well 74'
 Size of drilled hole 6" Weight of casing per linear foot 13 lbs
 Thickness of casing 3/16" Temp. of water cool
 Diameter and length of casing 6" 74'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....
 If nonflowing well give depth of standing water from surface 15'
 If flowing well describe control works.....
(Type and size of valve, etc.)
 Date of commencement of well Oct 14-64 Date of completion of well Oct 16-64
 Type of well rig coll. tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	8	8	loose sand + gravel
8	12	4	Hard Pan
12	40	28	Sand
40	60	20	Sandy Clay
60	74	14	Course sand + gravel

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
 from 60 to 74 ft.
 Other aquifers 30'-40'

First water at 18 feet.

Casing perforated
 from 62 to 74 ft.

Size of perforations
1/8" x 4"

