


State Copy

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 8162
 Rec. Nov. 12 1964
 Well No. _____
 Permit No. _____

Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner MR. BALL - OASIS MOTEL BLDG. Driller SMITH-POINT, INC.
 Address 6550 PYRAMID LAKE RD. Address 199 E 12th Ave Lic. No. 200
 Location of well: W 1/4 NE 1/4 Sec. 21, T. 20N/S, R. 20E, in SPARKS NEV. WASHOE County
T. 20N.

Water will be used for TRAILER COURT Total depth of well 138

Size of drilled hole 5 in. Weight of casing per linear foot 12.59

Thickness of casing 135 Temp. of water Cell

Diameter and length of casing 6 7/8 OD - 140 ft long
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 20 ft

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 6-14 Date of completion of well 6-23-64

Type of well rig Cable

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	SURFACE ROCK + Clay
5	30	25	HARD PAN
30	70	40	Pal. yellow rock
70	100	30	Grey Rock
100	126	26	Grey rock Bottom
130	138	8	TURNING, Brittle yellow

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
from 100 to 126 ft.

Other aquifers _____

First water at 112 feet.

Casing perforated
from 105 to 122 ft.

Size of perforations
1/2 in. 4 Rows
Torch Cut

