

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

174
Log No. ~~8038~~

Rec. Nov. 13 1964

Well No. _____

Permit No. _____

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in.

Owner W. W. Waters Driller Reno Pump and Supply

Address 315 Clay St. Address 7168 So. Virginia - Reno Lic. No. 285

Location of well: NW 1/4 SE 1/4 Sec. 13, T. 20 N/S, R. 18 E, in Washoe County

or Peavine Mtn.

Water will be used for Domestic Total depth of well 200'

Size of drilled hole 6" Weight of casing per linear foot _____

Thickness of casing .188" Temp. of water Cold

Diameter and length of casing 6" x 119'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 16'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well February 20, 1964 Date of completion of well March 25, 1964

Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	Clay and Broken Rock
3	19	16	Broken, Weathered Rock
19	29	10	Clay and Rock
29	36	7	Rock
36	46	10	Rock and Clay
46	68	22	Brown Clay
68	104	36	Gray Clay
104	120	16	Sand and Rock
120	128	8	Sandy Clay
128	142	14	Sand and Rock W/B
142	146	4	Sandstone
146	154	8	Blue Shale and sand W/B
154	178	24	Shale, some water
178	200	22	Gray Shale, some water

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)

from 128 on to _____ ft.

Other aquifers _____

First water at 104 feet.

Casing perforated

from 89 to 118 ft.

Size of perforations

1/8" x 3" Torch cut.

