

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

198  
 Log No. 8062  
 Rec. Nov. 13 1962  
 Well No. ....  
 Permit No. ....

Do not fill in.

Well # 6

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Great Western Engineering Driller Reno Pump and Supply

Address ..... Address 7168 So. Virginia - Reno Lic. No. 285

Location of well: NW 1/4 SE 1/4 Sec. 7, T. 17 N/S, R. 20 E, in Washoe County

or Pleasant Valley Ranchos

Water will be used for Domestic Total depth of well 90'

Size of drilled hole 6" Weight of casing per linear foot .....

Thickness of casing .188" Temp. of water Cold

Diameter and length of casing 6" x 18'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure .....

If nonflowing well give depth of standing water from surface 7'

If flowing well describe control works .....  
(Type and size of valve, etc.)

Date of commencement of well October 20, 1962 Date of completion of well November 7, 1962

Type of well rig Cable Tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	1	1	Top Soil
1	21	20	Clay Boulders and Gravel
21	27	6	Gray Sand, Gravel and Boulders
27	47	20	Sand, Gravel and Brown Silt
47	60	13	Sand and Light Brown Silty Clay
60	64	4	Gravel and Clay
64	70	6	Clay and Sand
70	75	5	Small Gravel and Sand Clay Binder
75	78	3	Decomposed Granite W/B
78	90	12	Decomposed Granite, Sand and Clay W/B

#### Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)  
 from 75 to 90 ft.

Other aquifers .....

First water at 6' feet.

Casing perforated  
 from 71 to 89 ft.

Size of perforations  
1/8" x 3" Torch Cut

