

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA

Log No. ²²⁹ ~~8093~~
 Rec. Dec 10 1964
 Well No. _____
 Permit No. 21764
 Do not fill in

Owner Mario E. Belli Driller Harold J. Faretto
 Address Rt. 2 Box 642, Reno, Nevada Address 736 Humboldt St, Reno Lic. No. 2
 Location of well: S.W. 1/4 SE 1/4 Sec. 15, T. 19 N, R. 18 E, in Washoe County
 or 7 miles west of Reno or 3/4 mile west of Mogul Power Plant
 Water will be used for Domestic & Irrigation Total depth of well 56'-04"
 Size of drilled hole 8 inch Weight of casing per linear foot 16.90 Lbs.
 Thickness of casing 1.88 of an inch Temp. of water 49°
 Diameter and length of casing 8 5/8" O.D. Diameter, 5'-00" to 12'-00" lengths.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 37'-10"
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well June 19, 1962 Date of completion of well July 7, 1962
 Type of well rig Speed Star 71' Cable Tool Rig

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	7	7	Soil & stony.
7	12	5	Rocks, sand & gravel with yellow clay.
12	28	16	Rocks & small boulders, sand & gravel with clay.
28	33	5	Rocks.
33	35	2	Medium sand with clay.
35	40	5	Rocks. 1st. water. Water level 22'-09", Little water, Medium sand with clay.
40	48	8	Rocks. 2nd water, Little water, Sand & coarse gravel, Loose.
48	56	8	3rd. water, Water, Rocks, coarse sand & gravel.

Water-bearing Formation, Casing Perforations, Etc.
 Chief aquifer (water-bearing formation)
 from 48 to 56 ft.
 Other aquifers 40 to 48
 First water at 35 feet.
 Casing perforated
 from _____ to _____ ft.
 Size of perforations _____



