

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 8312  
 Rec. Jan 15 1965  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
 Do not fill in 104

Owner Mr. W.E. Taylor Driller Marcin Drilling Co.  
 Address Comstock Hills Sub.Div. Carson City, Nev. Address Carson City, Nevada Lic. No. 7988  
 Location of well: SE 1/4 SW 1/4 Sec. 32., T16 N/S, R. 20 E, in Ormsby County  
 or Lot # 57 Comstock Hills Sub. Div.  
 Water will be used for Domestic Use Total depth of well 110  
 Size of drilled hole 6 Inch Weight of casing per linear foot 13 #  
 Thickness of casing .188 Wall Temp. of water Warm  
 Diameter and length of casing 6 3/4" x 65' — 5 1/2" x 45'  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure Not Flowing  
 If nonflowing well give depth of standing water from surface 65 Feet  
 If flowing well describe control works Not Flowing  
 (Type and size of valve, etc.)  
 Date of commencement of well 12/10/64 Date of completion of well 12/20/64  
 Type of well rig Cable Tool

## LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	20	20	Top Soil
20	62	42	Sand And Clay
62	110	48	Hard Rock with clay Streaks

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 100 to 110 ft.

Other aquifers 62 Feet

First water at 62 feet.

Casing perforated

from 90 to 108 ft.

Size of perforations

Torch Perf. 1/8" X 6"

