

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

✓ Log No. 2349  
 Rec. Feb. 10 1965  
 Well No. \_\_\_\_\_  
 ✓ Permit No. \_\_\_\_\_

Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner \_\_\_\_\_ Driller \_\_\_\_\_  
 Address \_\_\_\_\_ Address \_\_\_\_\_ Lic. No. \_\_\_\_\_  
 Location of well:  $\frac{1}{4}$  Sec. \_\_\_\_\_, T. \_\_\_\_\_ N/S, R. \_\_\_\_\_ E, in \_\_\_\_\_ County  
 or \_\_\_\_\_  
 Water will be used for \_\_\_\_\_ Total depth of well \_\_\_\_\_  
 Size of drilled hole \_\_\_\_\_ Weight of casing per linear foot \_\_\_\_\_  
 Thickness of casing \_\_\_\_\_ Temp. of water \_\_\_\_\_  
 Diameter and length of casing \_\_\_\_\_  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface \_\_\_\_\_  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well \_\_\_\_\_ Date of completion of well \_\_\_\_\_  
 Type of well rig \_\_\_\_\_

## LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	10	10	Reddish-brown sandstone
10	20	10	Light gray sandstone
20	30	10	Dark gray sandstone
30	40	10	Light gray sandstone
40	50	10	Dark gray sandstone
50	60	10	Light gray sandstone
60	70	10	Dark gray sandstone
70	80	10	Light gray sandstone
80	90	10	Dark gray sandstone
90	100	10	Light gray sandstone

### Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)  
 from 10 to 100 ft.  
 Other aquifers \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 First water at 100 feet.  
 Casing perforated  
 from 40 to 100 ft.  
 Size of perforations  
1/2" x 1/2"  
1/2" x 1/2"

