

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY



Log No. 8435
 Rec. April 16 1965
 Well No.
 Permit No.
Do not fill in

Owner Mr. Earl May Driller Marcin Drilling Co.

Address General Delivery, Gardnerville, Nev. Address Carson City, Nevada Lic. No. 7988

Location of well: NW 1/4 NE 1/4 Sec. 26, T. 13N/S, R. 20 E, in Douglas County

or

Water will be used for Domestic use Total depth of well 150 Feet

Size of drilled hole 8" Weight of casing per linear foot 16.90

Thickness of casing .188 Temp. of water Cold

Diameter and length of casing 8"
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure Not Flowing

If nonflowing well give depth of standing water from surface 48 Feet

If flowing well describe control works Not Flowing
 (Type and size of valve, etc.)

Date of commencement of well 4/5/65 Date of completion of well 4/8/65

Type of well rig Cable Tool, Star # 72

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	6	6	Gravel
6	32	26	Cemented Gravel
32	48	16	Rock
48	52	4	Cemented Gravel
52	68	16	Rock
68	72	4	Rock
72	85	13	Water & Silt.
85	95	10	Clay & Sand
95	150	55	Decomposed Granite & Sand

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 72 to 85 ft.

Other aquifers.....

First water at 72 feet.

Casing perforated

from 90 to 130 ft.

Size of perforations

1/8" x 8"

Torch Perf.
 RC



