

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 8454
 Rec. Apr 30 1965
 Well No. _____
 Permit No. 44231 ?
Do not fill in



Owner Winecup ranch Driller W. F. Smith
 Address Wilkins Nevada Address Elko Nev. Lic. No. 3473

Location of well: S.E. 1/4 1/4 Sec. 23, T40 N/S, R64 E, in Elko County

Water will be used for Stock Total depth of well 450 ft.

Size of drilled hole 8" Weight of casing per linear foot 19 lbs

Thickness of casing 1/4 Temp. of water cold

Diameter and length of casing 6" 382'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface 70 ft

If flowing well describe control works.....
(Type and size of valve, etc.)

Date of commencement of well 3-2-65 Date of completion of well 3-31-65

Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
255	255		Loose rocks and clay
268	268	13	Sandy yellow clay
268	285	17	Broken sandy clay
285	450	165	Sandy shale

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 295 to 335 ft.

Other aquifers none

First water at 295 feet.

Casing perforated

from 185 to 325 ft.

Size of perforations

1/8 x 3"

