WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 8468
Rec. ~~Apr~~ May 5 1965
Well No.
Permit No.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in.

Owner Walter Hinckel Driller J. W. Cunningham

Address Reno Nevada Address Reno - Nev. Lic. No. 242

Location of well NE 1/4 NE 1/4 Sec 20, T 18 N/S, R 20 E, in MDB+M Washoe County

or

Water will be used for Trailor Court Domestic Total depth of well 121 - ft.

Size of drilled hole 10" Weight of casing per linear foot 18#

Thickness of casing 3/16 188 Wal - Temp. of water 50° Est.

Diameter and length of casing 10" X 121 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 20 feet from Sea

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well 10/27/64 Date of completion of well 11/4/64

Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	1	1	Top Soil
1	5	4	hard Rock -
5	12	7	D-G -
12	26	14	Cobble Stone + water Sand -
26	35	9	Sandy Clay -
35	47	12	Sand Fine
47	62	15	Sandy Clay -
62	95	33	Fine Sand -
95	105	10	Fine To Coarse Sand -
105	120	15	Coarse Sand Small Gravel -
120	121	1	hard F/G

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)

from 105 to 120 ft.

Other aquifers None

First water at 12 feet.

Casing perforated

from 104 to 120 ft.

Size of perforations

Torch Cut Fine

(OVER)

919

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	REMARKS—Seals, Grouting, etc.
				Grouted - Cement - Some - Clay Bottom of Well 6 ft. Rock plug - 10 in Drive Shoe -

GENERAL INFORMATION—Pumping Test, Quality of Water, etc.

Boyland ~~[illegible]~~ approx - 60 - GPM.

Well was not Test Pumped -

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed J. W. Cunningham
Well Driller

By

License No. 6724

Dated 1/23, 1965

(Not to be filled in by Driller)

Evergreen Trailer Park-12955 So. Virginia-Reno

Parcel 1. Starting at the Northwest Corner of the NE ¼ of the NE ¼ of Section 20, Township 18 North, Range 20 East, M.D.B. & M. thence South 0° 08' West 1011.73 feet along the West line of said NE ¼ of the NE ¼ of Section 20; thence North 89° 50½ East 389.31 feet to the true point of beginning for the description of this parcel of land; thence North 0° 09½ West 200 feet; thence North 89° 50½' East 200 feet, to the Westerly right of way line of Reno-Carson State Highway; thence South 26° 40' East 223.49 feet, along said right of way line; thence South 89° 50½' West 299.76 feet to the place of beginning.

Parcel 2. Starting at the Northwest corner of the NE ¼ of the NE ¼ of Section 20, Township 18 North, range 20 East, M.D.B. & M; thence South 0° 08' West 1011.73 feet along the West line of said subdivision; thence North 89° 50½ East 289.31 feet to the place of beginning; thence North 0° 09½' West 200 feet; thence North 89° 50½' East 100 feet; thence South 0° 09½ East 200 feet; thence South 89° 50½' West 100 feet to the place of beginning.