

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2469
 Rec. April 27 1965
 Well No. _____
 Permit No. _____

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in.

Owner... Swift Builders Driller... H & H Krilling

Address... Gardnerville, Nevada Address... 580 Cassaza Dr. Lic. No. 7124

Location of well SE 1/4 SW 1/4 Sec. 10, T. 12 N/S, R. 20 E, in County

or Gardnerville Ranchos Lot No. 3 Sagebrush Court

Water will be used for... Domestic Total depth of well... 80'

Size of drilled hole... 6" Weight of casing per linear foot... .188

Thickness of casing... .188 Temp. of water... Cold

Diameter and length of casing... 6" 80'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface... 50

If flowing well describe control works.....
(Type and size of valve, etc.)

Date of commencement of well March 31, 1965 Date of completion of well... April 7, 1965

Type of well rig... Cable Tool

LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material |
|-----------|---------|------------------|---------------------------|
| 0 | 20 | 20 xx | Boulders, clay |
| 20 | 60 | 40 | Boulders, Clay |
| 60 | 80 | 20 | Good water bearing gravel |

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
 from 60 to 80 ft.

Other aquifers... None

First water at... 60 feet.

Casing perforated
 from 60 to 80 ft.

Size of perforations
1/8

LOG OF FORMATIONS—Continued

| From feet | To feet | Thickness | Type of material |
|-----------|---------|-----------|------------------|
| | | | |

CASING RECORD

| Diam. casing | From feet | To feet | Length | REMARKS—Seals, Grouting, etc. |
|--------------|-----------|---------|--------|-------------------------------|
| 6" | 0 | 80 | 80 | Well Seal |

GENERAL INFORMATION—Pumping Test, Quality of Water, etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed..... H & H Drilling
Well Driller

By..... E. L. Porter

License No...7124

Dated..... April 8 , 19 65

(Not to be filled in by Driller)

APR 27 1965

R

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2469
 Rec. April 27 1965
 Well No. _____
 Permit No. _____

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in.

Owner... Swift Builders Driller... H & H Krilling

Address... Gardnerville, Nevada Address... 580 Cassaza Dr. Lic. No. 7124

Location of well SE 1/4 SW 1/4 Sec. 10, T. 12 N/S, R 20 E, in County

or Gardnerville Ranchos Lot No. 3 Sagebrush Court

Water will be used for... Domestic Total depth of well... 80'

Size of drilled hole... 6" Weight of casing per linear foot... .188

Thickness of casing... .188 Temp. of water... Cold

Diameter and length of casing... 6" 80'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface... 50

If flowing well describe control works.....
(Type and size of valve, etc.)

Date of commencement of well March 31, 1965 Date of completion of well... April 7, 1965

Type of well rig... Cable Tool

LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material |
|-----------|---------|------------------|---------------------------|
| 0 | 20 | 20 xx | Boulders, clay |
| 20 | 60 | 40 | Boulders, Clay |
| 60 | 80 | 20 | Good water bearing gravel |

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
 from 60 to 80 ft.

Other aquifers... None

First water at... 60 feet.

Casing perforated
 from 60 to 80 ft.

Size of perforations
1/8

LOG OF FORMATIONS—Continued

| From feet | To feet | Thickness | Type of material |
|-----------|---------|-----------|------------------|
| | | | |

CASING RECORD

| Diam. casing | From feet | To feet | Length | REMARKS—Seals, Grouting, etc. |
|--------------|-----------|---------|--------|-------------------------------|
| 6" | 0 | 80 | 80 | Well Seal |

GENERAL INFORMATION—Pumping Test, Quality of Water, etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed..... H & H Drilling
Well Driller

By..... E. L. Porter

License No...7124

Dated..... April 8 , 19 65

(Not to be filled in by Driller)

APR 27 1965

R