

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 8545
 Rec. Ume IR 1965
 Well No.
 Permit No.

Do not fill in

Owner Kenneth Martin Driller Thairol Sessions

Address 5th and Pearl Dr. Sun Valley, Nevada Address 146 E. 5th Sun Valley Nevada Lic. No.

Location of well: $\frac{1}{4}$ Sec. 10, T. 20N/S, R. 20E, in Washoe Nevada County

Water will be used for Domestic Total depth of well 102 ft.

Size of drilled hole 10 inch Weight of casing per linear foot

Thickness of casing 188 wall Temp. of water cold

Diameter and length of casing 6 inch 10 102 ft.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface 35 ft.

If flowing well describe control works.....
 (Type and size of valve, etc.)

Date of commencement of well 9/17/64 Date of completion of well 9/25/64

Type of well rig 70 Keystone Drill

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
00	35	35	Clay
35	65	30	Clay
65	75	10	Basalt
75	85	10	Basalt
85	96	11	Basalt
96	102	6	Basalt

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 96 to 102 ft.

Other aquifers.....
some water in clay and basalt

First water at 65 feet.

Casing perforated
 from 82 to 102 ft.

Size of perforations
1/8 inch



LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed Harold Sessoms
Well Driller

By P. M. Gibson

License No. 7373

Dated 6/12/64, 19 64

(Not to be filled in by Driller)
