

**WELL LOG AND REPORT TO THE STATE ENGINEER
OF NEVADA**

Log No. 859
 Rec. July 19 1965
 Well No. _____
 Permit No. 21177
 Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner: ~~R. C. State~~ OSCAR V. BENNETT Driller: D. E. Sider
 Address: _____ Address: Box 218 Alamo Lic. No. 458
 Location of well: 2 S. R 59 E
S.W. 1/4 W 1/4 Sec. 29, T. 3 S. N. 1/2 S, R. 59 E, in Lincoln Count
 or: 100 FT. NE OF SW. CORNER
 Water will be used for: irrigation Total depth of well: 227
 Size of drilled hole: 18 in. Weight of casing per linear foot: _____
 Thickness of casing: 7/32 Temp. of water: _____
 Diameter and length of casing: 16 OD 20 ft joints
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure: _____
 If nonflowing well give depth of standing water from surface: 1.15
 If flowing well describe control works: _____
(Type and size of valve, etc.)
 Date of commencement of well: June 4 Date of completion of well: June 12
 Type of well rig: Fort worth Speedler Model H

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	27	27	Top Soil Sandy
27	53	26	Sand Gravel trace of clay
53	97	44	Sand & clay strips
97	120	23	- - - water
120	227	107	Sand & Gravel

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
 from 120 to 227 ft.

Other aquifers: _____

First water at 120 feet.

Casing perforated
 from 120 to 227 ft.

Size of perforations

5/16 108 per 20 ft
6 in long

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material
0	227	7/32	

CASING RECORD

Diam. casing	From feet	To feet	Length	REMARKS—Seals, Grouting, etc.
18.00	0	227	20 ft Joints	6 - 100 lb Sucker of full Drilling Clay

GENERAL INFORMATION—Pumping Test, Quality of Water, etc.

well Pumped 8 in Pipe of water
at 1750 P.M. 1200 Gal per min

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed D. E. Sider
Well Driller

By

License No. 458

Dated July 13, 1965

(Not to be filled in by Driller)

RECEIVED

JUL 14 1965

DIV. OF WATER RESOURCES
BRANCH OFFICE
LAS VEGAS, NEVADA

61 11

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material
0	227	7/32	

CASING RECORD

Diam. casing	From feet	To feet	Length	REMARKS—Seals, Grouting, etc.
18.00	0	227	20 ft joints	6 - 100 lb Sucker of Full Drilling Clay

GENERAL INFORMATION—Pumping Test, Quality of Water, etc.

well Pumped 8 in Pipe of water
at 1750. R.P.M. 1200 Gal per min

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed D. E. Sider
Well Driller

By.....

License No. 458

Dated July 13, 1965

(Not to be filled in by Driller)

RECEIVED

JUL 14 1965

DIV. OF WATER RESOURCES
BRANCH OFFICE
LAS VEGAS, NEVADA