

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 2611  
 Rec. July 26 1965  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

*Do not fill in*

Owner Mr Glenn Farham Driller Marcin Drilling Co.  
 Address Carson City, Nevada Address Carson City, Nevada Lic. No. 7988  
 Location of well: NW 1/4 NE 1/4 Sec. 5, T. 15 N, R. 20 E, in Ormsby County  
 or \_\_\_\_\_  
 Water will be used for Domestic Total depth of well 100 Feet  
 Size of drilled hole 6" Weight of casing per linear foot 13#  
 Thickness of casing .188 Wall Temp. of water Warm  
 Diameter and length of casing 6 1/2" X 100 Feet  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure Not Flowing  
 If nonflowing well give depth of standing water from surface 20 Feet  
 If flowing well describe control works Not Flowing  
(Type and size of valve, etc.)  
 Date of commencement of well 5/16/65 Date of completion of well 5/22/65  
 Type of well rig Cable Tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	25	25	Clay And Sand
25	75	50	Silty Sand
75	85	10	Sand
85	100	15	Cemented Gravel

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 85 to 100 ft.  
 Other aquifers 30 Ft.

---

First water at 30 feet.

---

Casing perforated  
 from 80 to 100 ft.

---

Size of perforations  
1/8" X 6"

---

**Torch Perforated**



