

**WELL LOG AND REPORT TO THE STATE ENGINEER
OF NEVADA**

Log No. 8768
 Rec. Dec 7 1965
 Well No. _____
 Permit No. _____

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in.

Owner Jack Stevens Driller Pete Anderson
 Address San P. Steamboat, Nev. Address 3590 Churchill Dr. Carson City, Nev. Lic. No. 807
 Location of well: $\frac{1}{4}$ $\frac{1}{4}$ Sec. 6, T. 17 N. $\frac{1}{4}$, R. 20 E, in Washoe County
 or Washoe Valley Farms
 Water will be used for Pomato Total depth of well 62'
 Size of drilled hole 6" Weight of casing per linear foot 13 lbs.
 Thickness of casing $\frac{3}{16}$ " Temp. of water Cool
 Diameter and length of casing 6" 66'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure 56 P.M. one ft above surface
 If nonflowing well give depth of standing water from surface _____
 If flowing well describe control works well seal applied to top of casing
(Type and size of valve, etc.)
 Date of commencement of well Nov 10 65 Date of completion of well Nov 12 65
 Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	loose soil
2	8'	6	hard pan
8	20	12	sand & gravel
20	33	13	sand
33	48	15	soft blue clay
48	55	7	sand
55	56	1	clay
56	62	6	course gravel

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
 from 56 to 62 ft.

Other aquifers 8-20
20-33
48-55

First water at 8 feet.

Casing perforated
 from 52 to 62 ft.

Size of perforations
 $\frac{1}{8}$ x 4" pack bit

