

**WELL LOG AND REPORT TO THE STATE ENGINEER
OF NEVADA**

Also Log # 15440
 Log No. 8783
 Rec. 12-22 1965
 Well No.
 Permit No.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in.

Owner Robert Best Driller Reno Pump & Supply
 Address Box GG - Yerington, Nev. Address 7468 So. Virginia Reno, Nev.
 Location of well: NE 1/4 NE 1/4 Sec. 23, T. 15N/S, R. 19E, in Ormsby County
 or
 Water will be used for Domestic Total depth of well 195
 Size of drilled hole 8" Weight of casing per linear foot
 Thickness of casing .188" Temp. of water Cold
 Diameter and length of casing 8" x 77' - 6" x 168'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure
 If nonflowing well give depth of standing water from surface 35'
 If flowing well describe control works
(Type and size of valve, etc.)
 Date of commencement of well 5/4/65 Date of completion of well 10/8/65
 Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, etc.
0	1	1	Top soil	
1	26	25	Boulders	Chief aquifer (water-bearing formation)
26	40	14	Clay & gravel, some water	from <u>194</u> to <u>on</u> ft.
40	55	15	Clay	Other aquifers.....
55	68	13	Hard clay & some gravel	<u>See log</u>
68	81	13	Clay & gravel	
81	104	23	Rock, fairly solid	
104	150	46	Clay with rock	
150	155	5	Hard brown rock	
155	160	5	Clay & rock	
160	171	11	Clay & weathered rock	
171	176	5	Clay	
176	178	2	Weathered rock & clay	First water at <u>28</u> feet.
178	194	16	Very hard rock	
194	196	2	Sand & gravel, water bearing	Casing perforated
			Caved back to 195'	from <u>147</u> to <u>167</u> ft.
				Size of perforations
				<u>1/8" x 3"</u>

