

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY



Log No. 789A  
 Rec. Mar 18 19 66  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Al. Mason Driller Marcin Drilling Co.

Address Carson City, Nevada Address Carson City, Nevada Lic. No 7988

Location of well: SW 1/4 SW 1/4 Sec. 9, T. 14 N/S, R. 19 E, in Douglas County  
 or \_\_\_\_\_

Water will be used for Domestic Total depth of well 90 Feet

Size of drilled hole 6" Weight of casing per linear foot 13#

Thickness of casing .188 Wall Temp. of water Cold

Diameter and length of casing 6 1/2" X 90 Feet  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure Not Flowing

If nonflowing well give depth of standing water from surface 50 Feet

If flowing well describe control works Not Flowing  
 (Type and size of valve, etc.)

Date of commencement of well December 15/66 Date of completion of well January 8/66

Type of well rig Cable Tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	30	30	Cemented Gravel & Boulders
30	70	40	Decomposed Granite
70	75	5	Coarse Decomposed Granite
75	85	10	Decomposed Granite
85	90	5	Rock

Plugged by  
log 122666

Replaced by  
log 122655

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 81 to 85 ft.

Other aquifers 70 To 75

First water at 70 feet.

Casing perforated

from 67 to 90 ft.

Size of perforations

1/8 X 6"

**Teuch Perforated**



