

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 8895
 Rec. Mar. 18 1966
 Well No.
 Permit No.
Do not fill in

Owner Mr. Ray Mills Driller Marcin Drilling Company
 Address Overland Drive, Carson City, Nevada Address Carson City, Nevada Lic. No. 7988
 Location of well: SW 1/4 SW 1/4 Sec. 28., T. 15 N/S, R. 20 E, in Ormsby County
 or.....
 Water will be used for Domestic Total depth of well 144 Feet
 Size of drilled hole 6" Weight of casing per linear foot 13 #
 Thickness of casing .188 Wall Temp. of water Cold
 Diameter and length of casing 6 1/2" x 144'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure Not Flowing
 If nonflowing well give depth of standing water from surface 60 Feet
 If flowing well describe control works Not Flowing
(Type and size of valve, etc.)
 Date of commencement of well February 10/66 Date of completion of well February 22/66
 Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	70	70	Cemented Gravel
70	75	5	Silt
75	95	20	Rock
95	125	30	Cemented Sand
125	135	10	Sand & Silt
135	144	9	Cemented Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 125 to 135 ft.

Other aquifers 70 to 75 ft.

First water at 70 feet.

Casing perforated
 from 88 to 140 ft.

Size of perforations
1/8" x 6"

Perch Perforated



