

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 2952  
 Rec. April 15 1966  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

*Do not fill in*

Owner Gulf Oil Corp. Driller Lee Bennett (Lic. No. 416)  
 Address Box 1950-Summit, New Mexico Address 470 High St. Ely, Nevada (Contractors) Lic. No. 14  
 Location of well:  $\frac{1}{4}$  Sec. 29, T. 7 N. R. 64 E., in Lincoln County  
 or 200-2, 200-2, 2-19 T. 7 N. R. 64 E.  
 Water will be used for oil well Total depth of well 265'  
 Size of drilled hole 6" Weight of casing per linear foot 10 lbs.  
 Thickness of casing 1/4 wall Temp. of water cold  
 Diameter and length of casing 6" ID 265'  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 220'  
 If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.) \_\_\_\_\_  
 Date of commencement of well 4/15/1966 Date of completion of well 4/16/1966  
 Type of well rig Lucyran Eric-24-1 Cable Tool

### LOG OF FORMATIONS

From feet	To	Thickness	Type of material
<u>220'</u>	<u>265'</u>	<u>45'</u>	<u>Dry Sand Sand &amp; Gravel</u>

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 225' to 265' ft.

Other aquifers \_\_\_\_\_

---

First water at 225' feet.

Casing perforated  
 from 240' to 265' ft.

Size of perforations  
3/16 x 5" 4 to the  
 round. Torch Perforated



