

# WELL LOG AND REPORT TO THE STATE ENGINEER

## BIG BRUSH WELL

*E100-613-794-11*

## OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 4039  
 Rec. July 8 1966  
 Well No. \_\_\_\_\_  
 Permit No. 46692

Do not fill in.

Owner Bureau of Land Management Driller Frank J. Schuh

Address 777 Aultman Street, Ely, Nevada Address Eureka, Nevada Lic. No. 382

Location of well: <sup>NW SE</sup> SE 1/4 NE 1/4 Sec. 29, T. 10 N, R. 61 E, in Nye County

Permit No. \_\_\_\_\_

Water will be used for Stock Water Total depth of well 60

Size of drilled hole 9 in. Weight of casing per linear foot 19 per foot

Thickness of casing 5/16 Temp. of water Cold

Diameter and length of casing 6 in. I. D. 60 feet - no shoe

(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 30 feet from surface

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well 6/15/66 Date of completion of well 6/17/66

Type of well rig Cable tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	<b>Surface</b>
5	30	25	<b>Clay</b>
30	60	30	<b>Sand</b>

#### Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)  
 from 30 to 60 ft.

Other aquifers \_\_\_\_\_

Sand

First water at 30 feet.

Casing perforated  
 from 30 to 60 ft.

Size of perforations

8" long 4 to the round

**Torch perforated.**

