

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 9097
 Rec. Aug 8 1966
 Well No.
 Permit No.

Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Lyle E. Thrift Driller SWEDE & SWEDE DRILLING
 Address Scheckler Road Address Rl. B. 97-A Fallon Lic. No. 474
 Location of well: 1/4 1/4 Sec. 23, T. 17N/S, R28 E, in Churchill County
 Permit No.
 Water will be used for Domestic Total depth of well 28'
 Size of drilled hole 8" Weight of casing per linear foot
 Thickness of casing 12 Ga Temp. of water Cold
 Diameter and length of casing 8" X 28'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure
 If nonflowing well give depth of standing water from surface 4'
 If flowing well describe control works
(Type and size of valve, etc.)
 Date of commencement of well 7-23 Date of completion of well 7-23
 Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	Fine Sand
4	10	6	Clay
10	18	8	Coarse Sand
18	20	2	Fine Sand
20	28	8	Coarse Sand Casing on Clay

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
 from 16 to 28 ft.

Other aquifers.....

First water at 4 feet.

Casing perforated
 from 20 to 28 ft.

Size of perforations
1/8 X 6

