

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 9138  
 Rec. Aug 30 1966  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in.

Owner Clifford Hamilton Driller W. E. Tolain  
 Address 100 W. Caroline St. Carson City Address Box 255 Carson City Lic. No. 301  
 Location of well: 1/4 SE 1/4 Sec. 14., T. 20 N 8, R. 24 E, in Lyon County  
 or \_\_\_\_\_

Water will be used for Domestic Total depth of well 67 ft  
 Size of drilled hole 10" to 23 ft Weight of casing per linear foot 9.7 lbs  
 Thickness of casing 10 ga Temp. of water Cold  
 Diameter and length of casing 6" x 64 ft (4 ft lengths)  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 20 ft  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well 8-14-66 Date of completion of well 8-16-66  
 Type of well rig Cable tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	23	23	Brown sandy clay.
23	32	9	Brown sand
32	34	2	" clay.
34	58	24	" sand
58	63	5	" clay

#### Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)  
 from 54 to 67 ft.  
 Other aquifers 23 - 32  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 First water at 23 feet.  
 Casing perforated  
 from 54 to 64 ft.  
 Size of perforations  
3" x 3/32"

