

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 9247
 Rec. Nov 9 1966
 Well No. 2772
 Permit No. 2772
Do not fill in

Owner Dan Atkin Driller Loyd Lee Bennett (Lic. No. 416)
 (Contractors)

Address Ely, Nevada Address 470 High St. Ely, Nev. Lic. No. 14

Location of well: SE 1/4 NE 1/4 Sec. 25 T. 17 N. S. R. 63 E. White Pine County

or 4 Miles No. of Ely on East Side of Highway

Water will be used for Domestic Irrigation Total depth of well 119'

Size of drilled hole 6" Weight of casing per linear foot 10 lb.

Thickness of casing 6" ID 5/16 wall Temp. of water cold

Diameter and length of casing 6" ID 119'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 85'

If flowing well describe control works
 (Type and size of valve, etc.)

Date of commencement of well 6/27/65 Date of completion of well 6/30/65

Type of well rig 24-L Bucyrus Erie Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3'	3'	Top Soil
3'	90'	87'	Dry Soil & Gravel
90'	119'	39'	Loose Water Bearing Sand & Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 90' to 119' ft.

Other aquifers

First water at 90' feet.

Casing perforated from 95' to 119' ft.

Size of perforations

1/4" 6" 4" to round every 2'

