

Well #2

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 9269
Rec. Nov 23 1966
Well No. _____
Permit No. 22621

Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Carroll D. Rasmussen Driller Phelps Pump & Equipment Co.

Address Tonopah, Nevada Address N. Las Vegas, Nev. Lic. No. 490

Location of well: 1/4 1/4 Sec. 8, T. 3 N. 8, R. 48 E, in Nye County

or SECTION 09 BCBB Q1

Water will be used for Irrigation Total depth of well 422'

Size of drilled hole 28" Weight of casing per linear foot 42.05

Thickness of casing 1/4" Temp. of water _____

Diameter and length of casing 16" diam. - 422'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface _____

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well March 9, 1966 Date of completion of well March 13, 1966

Type of well rig Shadrick 3000 Rotary

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	26	26	Sand & gravel
26	30	4	Cemented conglomerate
30	132	102	Sand & gravel - semi-hard
132	136	4	Semi-hard Sandstone
136	422	286	Sand & gravel - hard ledges

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)

from 136 to 422 ft.

Other aquifers _____

First water at 136 feet.

Casing perforated

from 135 to 422 ft.

Size of perforations

1/4" slot

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	REMARKS—Seals, Grouting, etc.
1.6	0	422	422	Gravel Packed

GENERAL INFORMATION—Pumping Test, Quality of Water, etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed Phelps Pump & Equipment Co.

Well Driller

By Lloyd R. Simon - Mgr.

License No. 464

Dated April 15, 1966

85 6 17

(Not to be filled in by Driller)
