

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Also See 9336
 Log No. 9336
 Rec. Jan 5 1967
 Well No. _____
 Permit No. 22050
 Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Kenneth W. McLarty Driller H. A. Sevey
 Address Anton Texas Address Eureka, Nev Lic. No. 258
 Location of well: NE 1/4 SE 1/4 Sec. 12, T. 10N/S, R. 57E, in Nye County
 Permit No. 22050
 Water will be used for irrigation Total depth of well 401'
 Size of drilled hole 16" Weight of casing per linear foot 33
 Thickness of casing 3/16 Temp. of water _____
 Diameter and length of casing 16" X ~~27~~ 347 deepened this well 160'-14" factory
Perforated liner (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure. _____
 If nonflowing well give depth of standing water from surface 184'
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well _____ Date of completion of well Nov 1966
 Type of well rig cable

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
220	229	7	clay and gravel
229	237	8	pea gravel
237	239	2	cemented gravel
239	246	7	pea gravel
246	273	27	tight gravel
273	288	15	clay and gravel
288	302	14	gravel
302	319	17	clay and gravel
319	328	9	sand rock
328	333	5	sandy clay
333	336	3	cement gravel
336	342	6	gravel
342	345	3	sand rock
345	348	3	pea gravel
348	352	4	cement gravel
352	384	32	conglomerat
384	389	5	sand rock
389	393	4	clay and gravel
393	398	5	gravel
398	401	3	clay and gravel

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
 from _____ to _____ ft.
 Other aquifers all loose
gravel formations

 First water at _____ feet.
 Casing perforated
 from _____ to _____ ft.
 Size of perforations

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	REMARKS—Seals, Grouting, etc.
16" 12"	0 24	27 410	27 160'	factory perforated liner

GENERAL INFORMATION—Pumping Test, or Boiling Test, Quality of Water, etc.

This was a deepening job by me. Due to the fact Alex Maddox started this fracture. Did not put down his 16" pipe which was 330' his logs should be in your office if not he has it. I put in 27' more 16" pipe and had to put a liner in the bottom. Due to our error we failed to put the liner on the log.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed

H. A. Sevey
Well Driller

By H. A. Sevey

License No. 258

Dated Dec. 15, 1966

(Not to be filled in by Driller)

00 01 NOV 5 AMV 1966 95 6 17 57 1966
 1967 JAN 5 AM 10 00
 1967 MAR 25 11 10 00
 1967 APR 10 11 10 00
 1967 MAY 10 11 10 00
 1967 JUN 10 11 10 00
 1967 JUL 10 11 10 00
 1967 AUG 10 11 10 00
 1967 SEP 10 11 10 00
 1967 OCT 10 11 10 00
 1967 NOV 10 11 10 00
 1967 DEC 10 11 10 00