

**WELL LOG AND REPORT TO THE STATE  
ENGINEER OF NEVADA**

Log No. 9402  
 Rec. Feb 20 1967  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
 Do not fill in 104

Owner Starzone Corp. Driller W. E. Blain  
 Address P.O. Box 7237 Reno, Nevada Address Box 255 Carson City Lic. No. 301  
 Location of well: 1/4 1/4 Sec. 30, T. 16 N/8, R. 20 E, in Lyon County

Water will be used for Domestic Total depth of well 160 ft  
 Size of drilled hole 10" to 50 ft Weight of casing per linear foot 9.7  
 Thickness of casing 10 ga Temp. of water cell  
 Diameter and length of casing 6" x 142  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 56 ft  
 If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.)

Date of commencement of well 1-19-67 Date of completion of well 2-3-67  
 Type of well rig Cable tool

**LOG OF FORMATIONS**

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	46	46	Cemented Rock	Chief aquifer (water-bearing formation) from <u>157</u> to <u>160</u> ft. Other aquifers <u>95-118</u> <u>139-150</u> First water at <u>95</u> feet. Casing perforated from <u>116</u> to <u>136</u> ft. Size of perforations <u>3" x 3/32"</u>
46	83	37	Bmn. clay & gravel	
83	90	7	Bmn. clay & rock	
90	118	28	Bmn. clay & gravel	
118	122	4	Black Rock	
122	139	17	Bmn. clay & gravel	
139	157	18	Black gravel & grey clay	
157	160	3	Black gravel & Bmn. clay	

