

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 9435  
 Rec. March 24 1967  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

*Do not fill in*

Owner W. E. Blain Driller W. E. Blain  
 Address Box 255 Carson City, Nevada Address Box 255 Carson City Lic. No. 301  
 Location of well: 1/4 SW 1/4 Sec 34, T. 14 N/S, R. 2 E, in Douglas County  
 or \_\_\_\_\_  
 Water will be used for Domestic Total depth of well 71 ft  
 Size of drilled hole 10" to 36" Weight of casing per linear foot 9.7 lbs  
 Thickness of casing 10 ga Temp. of water Cold  
 Diameter and length of casing 6" x 72 ft 4 ft lengths  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 28 ft.  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well 2-23-67 Date of completion of well 2-25-67  
 Type of well rig Cable tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	16	16	Sandy top soil
16	24	8	Brown sandy clay
24	27	3	Brown sand
27	36	9	" sandy clay
36	42	6	" sand
42	45	3	" sandy clay
45	53	8	" sand
53	70	17	" sand + gravel
70	71	1	Brown clay

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 53 to 70 ft.  
 Other aquifers 36-42

---

First water at 36 feet.

---

Casing perforated  
 from 52 to 72 ft.

---

Size of perforations  
3 x 7/32



