

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 9446  
 Rec. Nov 13 1967  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
 Do not fill in. / 51

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner John Dabol Driller W. Welshenbaugh  
 Address Rt 1 Box 65, Fallon, Nev Address Rt 1 Box 97-A, Fallon Lic. No 494  
 Location of well: 1/4 1/4 Sec. 26, T. 19 N/S, R. 28 E, in Churchill County  
 Permit No. \_\_\_\_\_  
 Water will be used for Domestic Total depth of well 25  
 Size of drilled hole 8" Weight of casing per linear foot \_\_\_\_\_  
 Thickness of casing 12 ga Temp. of water Cold  
 Diameter and length of casing 8" X 25'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 4  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well 2-18-67 Date of completion of well 2-18-67  
 Type of well rig Cable Tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	Top Soil
3	4	1	Silt
4	16	12	Coarse Sand
16	20	4	Fine Sand
20	25	5	Coarse Sand
			Casing on Clay
			Cement Ground Seal from 16'

#### Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)  
 from 16 to 25 ft.  
 Other aquifers \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 First water at 4 feet.  
 Casing perforated  
 from 17 to 25 ft.  
 Size of perforations  
1/16" X 2"  
Chisel Slot



