

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 9497  
 Rec. May 8 1967  
 Well No. \_\_\_\_\_  
 Permit No. 18974  
 Do not fill in

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Novella Mae Linder Driller Dave McNinch  
 Address White Deer, Texas Address Winnamucca, Nevada Lic. No. 216  
 Location of well: SW 1/4 SE 1/4 Sec 12, T. 17N/S, R. 41E, in Lander County \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
 Water will be used for irrigation Total depth of well 240  
 Size of drilled hole 17" Weight of casing per linear foot 30#  
 Thickness of casing 10 gauge Temp. of water 60  
 Diameter and length of casing 16 1/2 240  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 43  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well March 24, 1962 Date of completion of well April 1, 1962  
 Type of well rig # 71 Speed Star Cable Tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	11	11	Sandy top soil
11	38	27	Clay and gravel
38	59	21	Clay
59	66	7	Clean loose gravel
66	80	14	Sand and streaks of clay
80	140	60	Fine gravel and sand
140	159	19	Sandy clay
159	196	36	Loose clean fine gravel
196	208	12	Sandy clay
208	240	32	Clean loose gravel

E 472945 NAD27  
 N 4355077 RL  
 3-28-07

39.346509N NAD83  
 117.316062W

**Water-bearing Formation, Casing Perforations, etc.**

---

Chief aquifer (water-bearing formation)  
 from 208 to 240 ft.

Other aquifers 59 to 66  
80 to 140-159-196

---

First water at 59 feet.

Casing perforated  
 from 59 to 240 ft.

Size of perforations  
1/2 x 3" slots  
 approx. 35 per ft.

**LOG OF FORMATIONS—Continued**

From feet	To feet	Thickness	Type of material

**CASING RECORD**

Diam. casing	From feet	To feet	Length	REMARKS—Seals, Grouting, etc.
16	0	240	240	

**GENERAL INFORMATION—Pumping Test, or Boiling Test, Quality of Water, etc.**

Well was tested, 180' setting 8" turbine pump for 10 hrs. Well delivered 2500 gpm. from 115' is now equipped with 160' setting 10" pump, 2 stage 14" bowels. Well cleared up in very short time, water is very clean and cold.

**WELL DRILLER'S STATEMENT**

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed Dave McNinch  
Well Driller

By Dave McNinch

License No. 219

Dated July 10, \_\_\_\_\_, 1962

**(Not to be filled in by Driller)**

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

67 01 17 6 1971 134