

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 9580  
 Rec. July 3 1967  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

Do not fill in. 101

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Earl Carl Driller W. Welshenbaugh  
 Address Rt. Box 40, Fallon, Nev. Address Rt. 897-A, Fallon, Nev. Lic. No. 494  
 Location of well: 1/4 Sec. 25, T. 19N/S, R. 28 E, in Churchill County  
 Permit No. \_\_\_\_\_  
 Water will be used for Domestic Total depth of well 73'  
 Size of drilled hole 58' X 12" 73' X 8" Weight of casing per linear foot 14.4# & 16.90#  
 Thickness of casing 12 ga. & 188 Temp. of water Cold  
 Diameter and length of casing 58' X 12" and 73' X 8"  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 24'  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well 5-31-67 Date of completion of well 6-12-67  
 Type of well rig Cable Tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	Top Soil
2	5	3	Clay
5	25	20	Coarse Sand
25	40	15	Fine Sand
40	45	5	Clay
45	57	12	Fine Sand
57	61	4	Clay
61	73	12	Coarse Sand

#### Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)  
 from 61 to 73 ft.  
 Other aquifers \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 First water at 5 feet.  
 Casing perforated  
 from 65 to 73 ft.  
 Size of perforations  
1/8 X 6

