

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 9604
 Rec. July 24 1967
 Well No. _____
 Permit No. 22594
 Do not fill in. 25003
27089

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Iris C. Connell Driller H. A. Sevey
 Address Box 292 Abernathy, Texas Address Eureka, Nev Lic. No. 258
 Location of well SW 1/4 SE 1/4 Sec. 17., T. 29 N/S, R. 43 E, in Lander County
 Permit No. 22594

Water will be used for irrigation Total depth of well 339
 Size of drilled hole 16" Weight of casing per linear foot 44
 Thickness of casing 1/4 Temp. of water cold
 Diameter and length of casing 16" x 339'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. _____
 If nonflowing well give depth of standing water from surface 34'
 If flowing well describe control works. _____
(Type and size of valve, etc.)

Date of commencement of well June 11, 1967 Date of completion of well July 8, 1967
 Type of well rig cable

LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material |
|-----------|---------|----------------|-------------------------|
| 0 | 8 | 8 | soil |
| 8 | 19 | 11 | clay and gravel |
| 19 | 32 | 13 | brown clay |
| 32 | 38 | 6 | fine gravel |
| 38 | 53 | 15 | clay |
| 53 | 70 | 17 | sand |
| 70 | 76 | 6 | gravel |
| 76 | 85 | 9 | sandy clay |
| 85 | 89 | 4 | sand and gravel |
| 89 | 95 | 6 | sandy clay |
| 95 | 98 | 4 | sand |
| 98 | 106 | 8 | clay |
| 106 | 111 | 5 | sand and pea gravel |
| 111 | 133 | 22 | clay and gravel streaks |
| 133 | 148 | 15 | sand and gravel |
| 148 | 150 | 2 | clay |
| 150 | 153 | 3 | sand and pea gravel |
| 153 | 156 | 3 | gravel |
| 156 | 159 | 3 | clay |
| 159 | 164 | 5 | clay |
| 164 | 173 | 9 | sand and gravel |
| 173 | 178 | 5 | clay and gravel |
| 178 | 186 | 8 | sand and gravel |
| 186 | 187 | 1 | clay |

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
 from _____ to _____ ft.

Other aquifers all sand
and gravel stratas

First water at 76 feet.

Casing perforated
 from 72 to 334 ft.

Size of perforations
1/2 X 2

