

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 9706  
 Rec. Oct 2 19 67  
 Well No. ....  
 Permit No. ....  
*Do not fill in CARD*

Owner WALTER E. BORGOGNO Driller A.O. LARGE

Address P.O. BOX 923 RANTHORNE, NEVADA Address P.O. BOX 845 ELKO, NEV. Lic. No 397

Location of well: SW 1/4 NW 1/4 Sec 32, T.35 N/S, R.57 E, in ELKO County  
UNIT 4 - LOT 4 - BLOCK 14 - TWIN RIVERS RANCHO'S

Water will be used for DOMESTIC Total depth of well 115

Size of drilled hole 10" FOR 50' - 6 5/8" FROM 50' TO 115' Weight of casing per linear foot 11.40

Thickness of casing .156 Temp. of water 54

Diameter and length of casing 6 1/2" - 114' - 11"  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface 60 FT.

If flowing well describe control works.....  
 (Type and size of valve, etc.)

Date of commencement of well 9-5-67 Date of completion of well 9-19-67

Type of well rig KEYSTONE 50

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
TOP	3	3	SANDY TOP SOIL
3	8	5	LIGHT BROWN CLAY
8	11	3	WHITE LIME STONE
11	50	39	LIGHT BROWN CLAY
50	55	5	DRY SAND & GRAVEL
55	99	44	LIGHT BROWN CLAY
99	115	16	SAND & D.G. GRAVEL WITH SOME QUARTS

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 99 to 115 ft.

Other aquifers.....

First water at 99 feet.

Casing perforated

from 95 to 115 ft.

Size of perforations

1/8" - 6 TIMES AROUND



