

Muddy River Well L. Robison
**WELL LOG AND REPORT TO THE STATE ENGINEER
 OF NEVADA**

Log No. 9718
 Rec. 19
 Well No.
 Permit No. 23876



PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in.

Owner L. H. Robison Driller D. E. Sider
 Address Lagan Dale Nev Address Along Lic. No. 458
 Location of well: NE 1/4 NE 1/4 Sec. 34, T. 15 N, R. 67 E, in Clark County
 or

Water will be used for Irrig Total depth of well

Size of drilled hole 16 in Weight of casing per linear foot 4.5

Thickness of casing 2.50 Temp. of water

Diameter and length of casing 16 in 90 20 ft joints
(Casing 12" in diameter and under give inside diameter; casing 12" or over give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 10 ft

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well 6-11-67 Date of completion of well 7-1-67

Type of well rig 1936 Cable Tool Spinner

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	21	21	top soil
21	30	9	Clay
30	41	11	Gravel & water silt
41	62	21	Sand & Gravel) silty
62	68	6	Clay Gravel
68	90	22	Sand Small gravel
90	144	54	Coarse Sand Gravel
144	151	7	Clay) Stop drilling

Water-bearing Formation, Casing Performances, etc.

Chief aquifer (water-bearing formation)
 from 6 to 0 ft.

Other aquifers

First water at 10 feet

Casing perforated
 from 68 to 150 ft.

Size of perforations

3/8 x 9 in

LOG OF FORMATIONS—Continued

From	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	REMARKS—Seals, Grouting, etc.
				<p align="center"><i>Cased from top to Bottom with 16 in OD 2.50 wall Perf - from 68 ft to 150</i></p>

GENERAL INFORMATION—Pumping Test, Quality of Water, etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed *D. P. Seiler*
Well Driller

By _____

License No. *1158*

7-1 _____, 19*61*

(Not to be filled in by Driller)
