

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 9741
 Rec. Oct 25 1967
 Well No.
 Permit No.

Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner. ED. GRANADOS Driller. A.O. LARGE
 Address. 665 WILSON ELKO, NEVADA Address. P.O. BOX 345 ELKO, NEV. Lic. No. 397
 Location of well: NE 1/4 NW 1/4 Sec. 28, T. 34 N/S, R. 55 E, in ELKO County
 Permit No.
 Water will be used for DOMESTIC Total depth of well 165
 Size of drilled hole 10" TO 50 FT. 6 5/8" Weight of casing per linear foot 6 5/8 .188 .12.89
5 9/16 .244 - 14162
 Thickness of casing 6 5/8 .188 - 5 9/16 .244 Temp. of water 54
 Diameter and length of casing 6 5/8 FOR 61.5 9/16 FROM 40' TO 165'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....
 If nonflowing well give depth of standing water from surface 40 FT.
 If flowing well describe control works.....
(Type and size of valve, etc.)
 Date of commencement of well 10-3-67 Date of completion of well 10-20-67
 Type of well rig KEYSTONE 50

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
TOP	38	38	RED CLAY VERY HARD
38	40	2	SAND & GRAVEL SURFACE WATER
40	158	118	BLUE CLAY SOFT
158	165	7	BLUE SAND & GRAVEL

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
 from 158 to 165 ft.
 Other aquifers.....
 First water at 38 feet.
 Casing perforated
 from 150 to 165 ft.
 Size of perforations
3/16-3" LONG-6 AROUND

