

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 9864
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in



Owner Lynn Chase *Lam Inn* Driller Patrick H. Thompson
 Address 7051 So. White Drive L.V. Address Las Vegas, Nevada Lic. No. 192
 Location of well: SW 1/4 SW 1/4 Sec. 5, T21 N/S, R. 62E, in Clark County

Water will be used for Domestic Total depth of well 150'

Size of drilled hole 10" Weight of casing per linear foot 12#

Thickness of casing 10 ga. Temp. of water cool

Diameter and length of casing Diameter - 8" Length - 150'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 12'

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well 10-24-64 Date of completion of well 10-25-64

Type of well rig Cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	15	15	Brown sandy clay
15	20	5	Gravel (water)
20	50	30	White clay
50	110	60	Red sandy clay (water)
110	115	5	Gravel (water)
115	150	35	Red sandy clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 110 to 115 ft.

Other aquifers 115 - 150,
80 - 100.

First water at 15 feet.

Casing perforated
 from 70 to 150 ft.

Size of perforations
3/16 x 12, 4 rows

