

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 9873  
 Rec. 7/19 19 54  
 Well No. Denied  
 Permit No. 15713  
*Do not fill in*



Owner Mike Terlizzi Driller S. R. McKinney & Son  
 Address 1100 Comstock Drive Address 1042 South Main La Ve Lic. No. 45  
 Location of well: NW 1/4 NE 1/4 Sec. 6, T. 21 N/S, R. 61 E, in Clark County

Water will be used for Domestic Total depth of well 150 ft.

Size of drilled hole 12" to 50 ft, 10" to 150 ft Weight of casing per linear foot 10 gauge

Thickness of casing 10 gauge Temp. of water

Diameter and length of casing 8" I.D. to 150 ft  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 47 ft

If flowing well describe control works  
(Type and size of valve, etc.)

Date of commencement of well June 12, 1954 Date of completion of well June 18, 1954

Type of well rig 72 Speed Star, Snudder

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	Surface soil
5	25	20	cemented gravel
25	40	15	loose gravel
40	63	23	cemented gravel
63	72	9	graveley clay
72	150	78	cemented gravel water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 72 to 150 ft.

Other aquifers

First water at ~~XXX~~ 68 feet.

Casing perforated  
 from 60 to 150 ft.

Size of perforations  
3/16" X 12"



