

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 9908  
 Rec. FAA 5 1968  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner N. E. Nicholson Driller Meyer Drilling Co., Inc.  
 Address 812 Chernus Carson City, Nev. Address Carson City, Nev. Lic. No. 209  
 Location of well: NW 1/4 NW 1/4 Sec 32, T. 15N/S, R. 20E, in Hendley Ormsby County  
 Permit No. None  
 Water will be used for Domestic Total depth of well 120 feet  
 Size of drilled hole 6 Inch Weight of casing per linear foot 13. #  
 Thickness of casing .188 Inch Wall Temp. of water Cool  
 Diameter and length of casing 6 5/8" OD, 120 Foot  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure Not Flowing  
 If nonflowing well give depth of standing water from surface 40 Feet  
 If flowing well describe control works Not Flowing  
(Type and size of valve, etc.)  
 Date of commencement of well Jan. 19, 1966 Date of completion of well January 27, 1966  
 Type of well rig Cable Tool, 72 Speed Star Machine

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	15	15	Sandy Top Soil
15	120	105	Course Sand

#### Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)  
 from 100 to 120 ft.  
 Other aquifers \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 First water at 50 feet.  
 Casing perforated  
 from 100 to 120 ft.  
 Size of perforations  
1/8" x 6"

**MEYER DRILLING CO., INC.  
CARSON CITY, NEVADA**

