


WELL #1 - WESTERLY WELL

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 9929 -
Rec. Feb. 15 1968
Well No.
Permit No. 23970
Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner John Ansolbere ANSOLABEHERE Driller H. Sevey

Address Austin, Nev. Address Eureka, Nev. Lic. No. 258

Location of well NW 1/4 SE 1/4 Sec. 34, T24 N/S, R. 53 E, in Lander County

Permit No. ~~23969~~ 23970

Water will be used for irrigation Total depth of well 262'

Size of drilled hole 16" Weight of casing per linear foot 44

Thickness of casing 1/4" Temp. of water warm

Diameter and length of casing 16" x 261'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure 10 Gal.

If nonflowing well give depth of standing water from surface

If flowing well describe control works none as near as I know
(Type and size of valve, etc.)

Date of commencement of well March 15, 1967 Date of completion of well April 19, 1967

Type of well rig cable

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	top soil
3	8	5	black mud and watter
8	12	4	yellow clay and gravel
12	18	6	black mud
18	28	10	brown sandy clay
28	38	10	blue mud
38	42	4	gravel
42	52	10	blue clay
52	60	8	decomposed granit
60	62	2	blue clay
62	69	7	decomposed granit
69	87	18	hard blue shale
87	153	66	black shale
153	158	5	gravel
158	161	3	black shale
161	176	15	gravel
176	182	6	black shale
182	184	2	grvel
184	196	12	black lime stone
196	198	2	gravel
198	200	2	black lime stone
200	202	2	black shale
202	232	30	grey rock
232	237	5	gravel
237	256	19	grey rock
256	262	6	gravel

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
from.....to.....ft.

Other aquifers allillose
gravel formations

First water at 8 feet.

Casing perforated
from 65 to 255 ft.

Size of perforations
1/2 x 2

