

**WELL LOG AND REPORT TO THE STATE ENGINEER  
OF NEVADA**

Log No. 10170  
 Rec. July 30 1968  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in. **CARD**

Owner Doc Murphy Driller Fate Anderson  
 Address 408 Eureka Ave. Reno, Nev. Address 3680 Churchill Dr Carson City, Nev. Lic. No. 307  
 Location of well: NW 1/4 Sec 12, T. 13 N/8, R. 14 E, in Washoe County  
 or 1201 Foot Hill Rd. 3/4 mile west of S. Virginia Rd. near Holcomb Lane  
 Water will be used for Domestic Total depth of well 100'  
 Size of drilled hole 6" Weight of casing per linear foot 13 lbs.  
 Thickness of casing 3/16" Temp. of water Cool  
 Diameter and length of casing 6" - 100'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure. \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 42'  
 If flowing well describe control works. \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well July 1-68 Date of completion of well July 5-68  
 Type of well rig Cable Tool

**LOG OF FORMATIONS**

From feet	To feet	Thickness feet	Type of material
0	23	23	large rocks + clay
23	36	13	clay + gravel
36	42	6	gravel
42	56	14	clay + gravel
56	68	12	sandy clay
68	78	10	gravel
78	84	6	course sand
84	95	11	clay + gravel
95	101	6	sandy clay

**Water-bearing Formation, Casing Perforations, etc.**

Chief aquifer (water-bearing formation)  
 from 84' to 95' ft.  
 Other aquifers 68-78'

First water at \_\_\_\_\_ feet.

Casing perforated  
 from 80' to 100' ft.

Size of perforations  
1/8 x 4"

