

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA

88-10f2
Rec. 3/17/64 19. 69
Well No. 1047A
Permit No. 21164
Do not fill in



Owner: Tahoe Timber Company of Nevada Driller: Reno Pump & Supply

Address: South Verdi Road - Reno, Nevada Address: 7468 So. Virginia - Reno Lic. No. 295

Location of well: 1/4 Sec. 1, T. 12 N/S, R. 12 E, in Washoe County

Water will be used for Mill Use Total depth of well 178'

Size of drilled hole 10" Weight of casing per linear foot

Thickness of casing 10 Ga. Kia-Well Temp. of water Cold

Diameter and length of casing 10" x 128'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 27'

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well February 3, 1961 Date of completion of well February 18, 1961

Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	33	33	Large Boulders - Dirt
33	94	61	Compact Gravel - Clay (Hard Pan)
94	111	17	Sand & Gravel - W.B.
111	178	64	Hard Pan, with thin streaks Water Bearing Material

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 94' to 111' ft.

Other aquifers
See Log

First water at 33 feet.

Casing perforated
from 88' to 128' ft.

Size of perforations
1/8" x 1"



