

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 10602
 Rec. 19
 Well No. _____
 Permit No. 23348

Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Allan Ede Driller W.L. McDonald

Address 1103 Stanton Way; Stockton, Calif. Address 1715 Trabert; Sparks Lic. No. 493

Location of well: N/4 1/4 Sec. 3, T. 33 N/S, R. 37 E, in Humboldt County

Permit No. 23348

Water will be used for irrigation Total depth of well 338'

Size of drilled hole 24" Weight of casing per linear foot 42.05

Thickness of casing .250 wall Temp. of water cold

Diameter and length of casing random lengths to 20'; 16"OD
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 48'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 30 April, 1969 Date of completion of well 8 May, 1969

Type of well rig KF 50-AW rotary

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	10	10	Sandy topsoil
10	40	30	Fine brown sand
40	100	60	Decomposed granite
100	130	30	As above w/ some silt
130	140	10	Soft sandy yellow clay w/ fine sand lenses
140	150	10	Soft grey clay
150	185	35	Fine decomposed granite sand
185	325	40	Fine reddish brown sand
325	338	13	Soft sandy yellow clay w/ fine sand lenses

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)

from 150-185 to _____ ft.

Other aquifers 100-130
185-325

First water at 50-100 feet.

Casing perforated

from 138 to 338 ft.

Size of perforations

1/8" X 3"
~~factory mill cut~~

