

**WELL LOG AND REPORT TO THE STATE ENGINEER
OF NEVADA**

Log No. 10664
 Rec. 19
 Well No. _____
 Permit No. 3AED

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in.

Owner Eugene Tisdale Driller Pete Anderson
 Address 3250 Airport Rd. C.C. Nevada Address 3680 Churchill Dr C.C. Nevada Lic. No. 307
 Location of well: $\frac{1}{4}$ Sec. 6, T. 16N/S, R. 20E, in Washoe County
 or Washoe Valley Farms
 Water will be used for Domestic Total depth of well 76'
 Size of drilled hole 6" Weight of casing per linear foot 13 lbs.
 Thickness of casing 3/16" Temp. of water Cool
 Diameter and length of casing 6" 76'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure ✓
 If nonflowing well give depth of standing water from surface 10'
 If flowing well describe control works ✓
(Type and size of valve, etc.)
 Date of commencement of well June 29 - 69 Date of completion of well July 4 - 69
 Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	Top soil
2	18	16	Sand + Clay
18	30	12	Sand + Gravel
30	55	25	Blue Clay
55	62	7	fine sand
62	76	14	Coarse sand + Gravel

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
 from 62 to 76 ft.
 Other aquifers 18-30
 First water at 18 feet.
 Casing perforated
 from 62 to 76 ft.
 Size of perforations
1/8 x 4"