

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 10672
 Rec. _____ 19____
 Well No. _____
 Permit No. Churchill ✓
 Do not fill in CRD

Owner Homer A. Spear Driller Marcin Drilling Co.

Address Silver Springs Address 4340 Hwy 50 E Lic. No. 360

Location of well: NW 1/4 NE 1/4 Sec. 5, ¹⁸ TEN N/S, R. 25E, in MOB&M Douglas County
 or _____

Water will be used for Domestic Total depth of well 164 feet

Size of drilled hole 6 inch Weight of casing per linear foot 13#

Thickness of casing .188 Temp. of water Cold

Diameter and length of casing 6" X 164 feet
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure Not flowing

If nonflowing well give depth of standing water from surface 60 ft from surface

If flowing well describe control works Not flowing
 (Type and size of valve, etc.)

Date of commencement of well 6-25-69 Date of completion of well 7-15-69

Type of well rig Cable

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
1	80	80	Sand	
80	85	5	1st water	
85	135	40	quick sand	Chief aquifer (water-bearing formation)
135	145	10	Clay and sand	from <u>80</u> to <u>85</u> ft.
145	150	5	2d water	Other aquifers <u>145 to 150</u>
150	164	14	Sand and clay	
				First water at <u>80</u> feet.
				Casing perforated
				from <u>110</u> to <u>159</u> ft.
				Size of perforations
				<u>Torch 6" X 1/8"</u>



